# Cauvery Delta Region Shrinks

## Why in news?

\n\n

Recent study concluded that the Cauvery delta region has shrunk and the cultivable lands are increasingly deteriorating into waste lands.

\n\n

## What was the grim picture presented?

\n\n

\n
- The researchers have tracked land use and changes to land cover to show that the delta region has **shrunk by 20%.**
\n
- It is due to anthropogenic factors such as diversion of land for non-agricultural purposes, as well as factors linked to climate change.
\n
- The drastic reduction in crop cover and a **13-fold increase in wastelands** between 1971 and 2014 indicate a worrisome phenomenon.
\n
- The study also reported the increase in mangrove cover (14 times since 1971) in the region as **sea water ingress** (entering) has grown in the coastal areas.
\n
- This means more and more cultivable agricultural land is coming under sea water and **the soil is turning saline.**
\n
- Due to sea water ingress, there has been a substantial rise in shrimp farming along the coast, which is detrimental to agricultural practice.
\n
- With 72% of the low-lying land in the State falling under the delta region along the coast, the land is at greater risk of submergence as a result of rising sea levels.
\n
- The Cauvery delta has witnessed a **decline of 80% in sediment deposit** over the last century.
\n

\n\n

## What are the major concerns?

\n\n

\n
- A noticeable consequence of climate change has been **the cycle of drought and flood** that coastal areas have been enduring.
\n
- The rain occurs within a span of a few days, resulting in heavy flooding.
\n
- The fields get flooded and the crops are destroyed.
\n
- On the other hand, there is the prevalence of droughts.
\n
- All these factors have resulted in a **drastic reduction in land under crop cover**.
\n
- Also, the delta region has clay soil, of which **52% is cracking clay,** which is very vulnerable if it doesn't receive continuous irrigation.
\n
- The study also points to **the decline of dairy** as a secondary occupation, with the cattle population registering a steep decline.
\n
- With the Cauvery delta region accounting for 30% of the food grain production in the State, it is imperative that the crisis needs to be solved sooner than later.
\n

\n\n

## What are the government interventions?

\n\n

\n
- **The Tamil Nadu State Climate Action Plan,** drafted in 2014, anticipates many of the challenges that the report has raised, and envisages a slew of measures to make agriculture sustainable.
\n
- Promotion of drought- and flood-tolerant varieties of paddy, micro-irrigation to promote efficient use of water and use of bio-fertilizers to improve soil health are among the proposals.
\n
- However, there is **no clarity** on the extent to which these proposals have been incorporated in government interventions.

\n
- Several schemes have been announced by the State for the farmers' welfare, it remains unclear as to who is benefitting from them.
\n
- State has placed greater focus on promoting efficient use of water in agriculture through the expansion of the **System of Rice Intensification (SRI).**
\n
- However, wasteland reclamation work is currently concentrated in the dry regions of Tamil Nadu and not in the Cauvery delta regions.
\n
- The **State government's 2017-18 policy** note on agriculture admits that agricultural production has been severely affected due to natural factors such as cyclones and drought.
\n
- Again, it lacks clarity on the specific resources that would be dedicated to developing such 'climate-smart' practices.
\n
- **Collective farming scheme** was proposed, which aims to promote farmer-producer groups with a corpus fund of Rs 5 lakh per group.
\n
- This will help reduce the vulnerability of small and marginal farmers to natural hazards as it allows them to **pool their resources** and scale up farm production.
\n

\n\n

\n\n

**Source: The Hindu**

\n

