Preparing for the Summer

What is the news?

\n\n

\n
- The IMD forecast an above-normal temperatures over much of India in the summer months.
\n
- Also, the Australian international weather bureau says there is a **50% prospect of a similar phenomenon** this year as well, thus indicating a debilitated monsoon and weaker agricultural prospects.
\n

\n\n

What are the facts?

\n\n

\n
- NASA has pointed out, there has been a record three-year warming trend, with 2016 the hottest and 16 of 17 warmest years recorded, occurred since 2001.
\n
- Global weather in recent times has come under pressure from the El Nino warming that began in 2015.
\n
- But, the effect of El Nino on the global temperature is only a small part of the overall rise, indicating that the **trend could be correlated with the rise in greenhouse gases.**
\n
- India, a major emitter of GHGs, has classified 2016 as the century's warmest year, with an increase of 0.91ºC over the long-term average.
\n

\n\n

What the government must do to adopt?

\n\n

\n
- We must **shift away from further high-emission pathways** in the economy and adopt leapfrogging technologies.
\n
- It is also a call for policy initiatives to build **resilience by improving water harvesting and expanding tree cover,** including in cities.
\n
- For rural India, we must build surface irrigation facilities such as ponds through the employment guarantee scheme and climate funds.
\n
- In urban areas, more reservoirs needs to be built to augment water supply.
\n
- A **carefully planned school examination schedule** could spare the students from the worst of the summer.
\n
- Last year, schools in some states have decided to extend their summer vacations by a week or two. It might become necessary again this year.
\n
- Administrative decisions for summer management will need to be refined on the basis of coming IMD updates.
\n

\n\n

What should be done to save farmers?

\n\n

\n
- The IMD, ICAR and agriculture universities should work towards a more precise, micro-level understanding of rainfall, temperature, crop choice and inputs, particularly in rainfed areas.
\n
- The focus of farm research should shift towards **mapping climate patterns at the taluk level** over long periods to arrive at better surmises on the monsoon.
\n
- Research focus on the effects of input-intensive farming in irrigated regions has led to the neglect of more traditional areas such as managing rain variability.
\n
- Climate intelligence must form a more integral part of agriculture policy and extension services.
\n

- Finally, there must be a concerted shift towards **integrated, sustainable farming,** with agro-forestry practices.
  \n
- Farmers need credit and support to manage this transition.
  \n

\n\n

\n\n

Source: The Hindu

\n

