

Prelim Bits 23-08-2018

Hurricane Lane

\n\n

\n

- Lane is a category 5 hurricane which is currently heading towards Hawaiian Islands in Pacific Ocean.

\n

- The winds of the hurricane are expected to reach speed above 157 miles per hour causing catastrophic damages in the island.

\n

- The Saffir-Simpson Hurricane Wind Scale (SSHWS) classifies hurricanes in western hemisphere into 5 categories by the intensities of their winds.

\n

- The wind scale is used only to describe hurricanes forming in the Atlantic Ocean and northern Pacific Ocean east of the International Date Line.

\n

\n\n

| Category | Wind speed (Miles Per Hour) |
|----------|---|
| I | 74-95 mph; Dangerous winds with no significant structural damage to most well-constructed permanent structures. |
| II | 96-110 mph; Extremely dangerous winds will cause extensive damage. |
| III | 111-129 mph; Category 3 and higher are described as major hurricanes. |
| IV | 130-156 mph; It tends to cause more structural damage. |
| V | >157 mph; Highest category in the scale cause more catastrophic damage. |

\n\n

Insight Spacecraft

\n\n

\n

- InSight, short for Interior Exploration using Seismic Investigations, Geodesy and Heat Transport, is designed to study deep interiors of Mars.

\n

- The lander is expected to rest on “Elysium Planitia”, which is a flat-smooth plain just north of the equator in Mars.

\n

- This mission is part of **NASA's Discovery Program** for highly focused science missions that ask critical questions in solar system science.

\n

- It is the first outer space robotic explorer to study in-depth of Mars crust, mantle and core.

\n

- It also measures tectonic activity and meteorite impacts on Mars.

\n

- It will be a first test of miniaturized CubeSat technology at another planet, which researchers hope can offer new capabilities to future missions.

\n

- It has recently crossed halfway in its enroute to Mars and expected to land in November.

\n

- The instruments aboard the spacecraft include\n

\n

- i. A seismometer - used to detect quakes on Mars,

\n

- ii. A self-hammering probe - To measure the amount of heat escaping from the planet's interior.

\n

- iii. Cameras to take a “selfie” of the mission's equipment.

\n

\n

\n

\n\n

OSIRIS-REx

\n\n

\n

- The Origins, Spectral Interpretation, Resource Identification, Security-Regolith Explorer (OSIRIS-REx) spacecraft was launched in 2016.

\n

- Its target is Near-Earth Asteroid called Bennu.

\n

- It will bring sample back to Earth for study by 2023.
\n
- It will help scientists investigate how planets formed and how life began, as well as improve our understanding of asteroids that could impact Earth.
\n
- It recently began its final approach towards Bennu.
\n

\n\n

Near-Earth Asteroid

\n\n

- \n
- Asteroids, or minor planets, are small and often irregularly shaped celestial bodies.
\n
- Most of them orbit the Sun in the so-called main asteroid belt, between the orbits of the planets Mars and Jupiter.
\n
- An asteroid is coined a Near Earth Asteroid (NEA) when its trajectory brings it within 1.3 Astronomical Units (AU) from the Sun and hence within 0.3 AU of the Earth's orbit.
\n
- NEA are also known Potentially Hazardous Asteroid.
\n
- The largest known NEA is Ganymed.
\n

\n\n

Reasons for Intense Rainfall in India

\n\n

- \n
- NASA using its satellite data has provided an estimate of the intense rainfall that affected India from August 13 to 20.
\n
- The first band extends across the northern, western and eastern part of peninsula which is associated with the general monsoon circulation.
\n
- The second band is closely aligned with the southwest coast of India and the Western Ghats.
\n
- It appeared more concentrated and intense due to an area of low pressure embedded within the general monsoon trough.

\n

- Another contributing factor to the heavy rains in the second band is the Western Ghats.

\n

- Western Ghats along the West Coast of India intercept the moisture-laden air drawn from the warm waters of the Northern Indian ocean and the Arabian Sea as part of the southwest monsoon circulation.

\n

- **Global Precipitation Measurement** - It is a joint mission of Japanese Space Agency and NASA to make frequent observation of Earth's precipitation.

\n

\n\n

Restrictions in Imports and Exports

\n\n

\n

- Central Government has recently amended the Import policy, imposing restrictions on bio-fuel imports.

\n

- The free import of biofuels will now be allowed only for non-fuel purposes.

\n

- The restricted biofuels will include ethyl alcohol and other denatured spirits, biodiesel, petroleum oils and oils obtained from bituminous minerals other than crude.

\n

- The import of above items, which was free earlier, will now be allowed only for non-fuel purposes on an actual user basis.

\n

- The government in its recent notification has revised the status of export of rare earth compounds.

\n

- Export of rare earth compounds classified as beach sand minerals, permitted anywhere in the export policy earlier, will be regulated now.

\n

- It has been brought under state trading enterprise and will be canalised through Indian Rare Earths Limited.

\n

\n\n

\n\n

Source: The New Indian Express, BusinessLine

\n

