

## Room Temperature Superconductivity


### Why in news?

Recently, two South Korean researchers claimed that a lead-based compound (LK-99) had shown superconducting properties at room temperature under normal pressure conditions.

### What is a superconductor?

*The phenomenon of superconductivity was first discovered in 1911 by Heike Kamerlingh Onnes, which earned him the 1913 Nobel Prize in physics.*

- A superconductor is a material that can conduct electricity or transport electrons from one atom to another with no resistance.
- Superconductivity refers to a state in which a material offers zero, or near-zero, resistance to electric current.
- **Superconductive**- No heat, sound or any other form of energy would be released from the material when it has reached critical temperature ( $T_c$ ), or the temperature at which the material becomes superconductive.
- **Critical temperature**- It is the temperature at which the electrical resistivity of metal drops to zero in superconductor.
- Example- Aluminium, niobium, magnesium diboride, etc.,



### What are the properties of superconductors?

- **Meissner Effect (Expulsion of Magnetic Field)** - A Superconductor, when it is

cooled below the critical temperature  $T_c$ ), expel the magnetic field and doesn't allow the magnetic field to penetrate inside it. This phenomenon in superconductors is called Meissner effect.

- In a solid material, this is called ***diamagnetism***, and a perfect conductor would be a perfect diamagnet.
- **Infinite Conductivity/ Zero Electric Resistance-** In the superconducting condition, the superconducting material illustrates the zero electric resistance.
- When the material is cooled under its transition temperature, then its resistance will be reduced to zero suddenly.
  - Example-Mercury shows zero resistance under 4k.
- **Critical Temperature/Transition Temperature** - Critical temperature of a superconducting material is the temperature at which the materials changes from normal conducting state to superconducting state.
- This transition from normal conducting state (phase) to superconducting state (phase) is sudden / sharp and complete.
- **Josephson Current-** If the two superconductors are divided with the help of thin-film in insulating material, then it forms a junction of low resistance to found the electrons with copper pair.
- It can tunnel from one surface of the junction to the other surface. The current, due to flow of such cooper pairs, is called Josephson Current.
- **Critical Current-** When a current is passed through a conductor under superconducting state, a magnetic field is developed.
- If the current increase beyond certain value the magnetic field increased up to critical value at which conductor returns to its normal state. This value of current is called critical current.

### What are the applications of superconductor?

- **Medical** - MRI (Magnetic Resonance Imaging), Magneto-encephalography (MEG) and Magnetic Source Imaging (MSI), Magneto-cardiography (MCG) etc.
- **Electric field** - Generators, motors, transformers, relays, magnetic energy storages (SMES), superconducting magnets, HTS Induction Heater, Fusion etc.
- **Electronics** - SQUIDS (superconducting quantum interference device), High Speed computing, Quantum computing, Sensors, filters, circuitry, radar etc.
- **Transportation** - Magnetically levitated trains, Marine Propulsion (magneto-hydrodynamic), Marine Propulsion (motor) etc.
- **Physics** - Particle Accelerators, Magnets, Plasma / fusion research etc.

### What are the limitations of superconductor?

- **Operating at room temperatures** - Superconducting materials are active only when they are kept at low temperatures. Every superconducting material has a temperature below which it becomes active.
- **Use of cryogenics-** Keeping them below the transition temperature involves a lot of expensive cryogenic technology.
- Even the most sophisticated ones like copper oxide-based ceramic materials work only below  $-140^\circ\text{C}$ .

- Hence, superconductors still do not show up in most everyday electronics.

### Why room temperature matters?

- **Room-temperature superconductors-** A material that can display superconductivity at room temperature which is usually considered to be between 20 and 25 degree Celsius.
- It is the one which conducts electricity with zero resistance without the need of special cooling mechanism.
- **Zero resistance-** A superconducting power grid would not lose energy through resistance, so it would save the energy lost to resistance in the electricity grid.
- **Affordable MRI scans-** It would make magnetic resonance imaging (MRI) much more affordable because it would no longer require liquid helium to cool the scanner's huge detecting tube.
- **Improve efficiency-**It would enable ultra-fast and energy-efficient computer chips and long-lasting batteries and lamps etc.,
- **Cost effective-**
  - Electrical power grids would be at least 20% more efficient,
  - Maglev trains could run further at lower cost and
  - Particle accelerators and nuclear fusion devices could operate much more cost-effectively.

### References

1. [Indian Express- Why room temperature superconductor](#)
2. [India today- LK 99 a holy grail](#)

